1	
1	
-1	- 8
	١

MINERAL SURVEY No.3895

Arizona	Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

	, ,	
	KNOWN AS THE	
MANSI	ON HOUSE # 1 and MANSION HOUSE # 2 lode	S
	Ajo	Mining District,
	Pima County, Ariz	ona
Section	22, Township 12 S/	, Range 6 W.
Surve	eyed under instructions dated May 5	, 19 23
	by O.N.	Bleins.
		U. S. Mineral Surveyor.
	Claim located See location notices	
	Survey commenced Nay 20	, 1923
	Survey completed Nay 22	, 1923
	Address of claimant's Armstrong. Lewis & Attys for claimant	Kramer, Phoenix, Arizona
	이 가게 되었다. 이 이 아이를 보고 있는데 하는데 보는데 그는데 이 이 그는데 이 때로 이 나를 다 살았다.	IONS
	DATES OF AMENDED LOCAT	IONS.

Feet

MINERAL SURVEY NO. 3895 MANSION HOUSE # 1 lode.

Beginning at Cor. No.1, identical with Loc. Mon. and Cor. Nos. 2 and 3 Sur. No.3665, Silver Wing and Regent lodes respectively, New Cornelia Copper Company, Claimant, also Cor. No.2 Sur. No.3034 Cactus Park lode, claimant unknown.

An iron pipe 3 ins. diam. showing 2 1/2 ft. above ground, set in concrete, stamped 2 SW, 3 R - 3665, 2 CP -3034 and 1 MH Nol-3895 with md of stone alongside, whence the 1/4 Cor. bet. Secs. 22-27 T. 12 S. R. 6 W. brs. S. 35° 10' E., 217.8 ft.

U.S.M.M. No.1 brs. S. 58° 13' 30" E., 4822.1 ft.

No other bearings are available.

Thence S. 88° 25' W.

Va. 13° 30' E.

300.0 To S. end center, identical with N. end center Sur. No.3034

Cactus Park lode .

A pine post 4 ins. sq. by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed N. Cr. C P and S. Cr. M H. No.1.

600.0 To Cor. No.2, identical with Loc. Mon. and Cor. No.4 Mansion

House #2 lode of this Sur. also Cor. Nos. 2 and 3. Sur. No.3034

Buena Vista and Cactus Park lodes respectively.

An iron pipe 1 in. diam. with brass cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 2 MH No.1, 4 MH No.2-3895 and 2 BV, 3 CP-3034 with md of stone 3 1/2 ft. base by 3 ft. high alongside.

. No bearings are available.

Thence N. 1º 49' W. Va. 13° 30' E.

300.0 To E. end center Mansion House #2 lode of this Sur. hereinafter described.

600.0 To Cor. No.3, Mansion House #2 lode of this Sur., hereinefter described.

1500.0 To Cor. No.3, identical with Loc. Mon.

An iron pipe 1 in. diam. with brass cap on top, 18 ins. above ground, set 18 ins in the ground, stamped 3 MH No.1-3895 with md.

Feet

MINERAL SURVEY NO. 3895

MANSION HOUSE NO.1 lode.

of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence N. 88° 25' E. Va. 13° 30' E.

300.0

To N. end center.

A pine post 4 ins. sq by 4 ft. high set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed N. Cr. MH No.1

600.0

To Cor. No.4, identical with Loc. Mon. and Cor. No.3 Sur. No.3665 Silver Wing lode.

An iron pipe 3 ins. diam. showing 2 1/2 ft. above ground, set in concrete, stamped 3 SW-3665 and 4 MH No.1-3895 with md. of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence S. 1° 49' E. Va. 13° 50' E.

1500.0

To Cor. No.1, the place of beginning.

MANSION HOUSE # 2 lode.

Beginning at Cor. No.1, identical with Loc. Mon. and on line 2-3
Sur. No.3034 Buena Vista lode.

An iron pipe 1 in. diam. with brass cap on top 18 ins. above ground set 18 ins. in the ground, stamped 1 MH No.2-3895 with md. of stone 3 1/2 ft. base by 3 ft. high alongside, whence the Cor. to Secs. 21-22-27 and 28 T. 12 S., R. 6 W. brs. S. 75° 45' W., 434.1 ft. Cor. No.3 Sur. No.3034 Buena Vista lode brs. S.87° 55' W., 8 ft. No other bearings are available.

Thence N. 1° 49' W. Va. 13° 50' E.

300.0

To W. end center.

A pine post 3 ins. sq by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high, scribed W. Cr. M H No.2.

600.0

To Cor. No.2. identical with Loc. Mon.

An iron pipe 1 in. diam. with brass cap on top 18 ins. above ground, set 18 ins. in the ground, stamped 2 M H No.2- 3895

MINERAL SURVEY NO. 3895

the respective locations as staked upon the ground.

LOCATION.

This survey is located in the S W. 1/4 Sec. 22, T. 12 S., R.6 W. G. & S.R. M., in Ajo Mining District, Pima Co., Arizona.

-----000-----

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of each of the locations embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars, and that said improvements consist of:

MANSION HOUSE # 1 lode.

No.1 the discovery shaft, on the center line, 178 ft. from the center of line 1-2, 4 x 6 ft. 12 ft. deep.

Value \$120.0

No.2, a shaft, the center of which brs. from Gor. No.2 N. 34°30'E., 330 ft. 4 x 6 ft. 20 ft. deep.

Value \$200.0

No.3, a shaft, on the center line 560 ft. from the center of line $1-2,4 \pm 6$ ft., 10 ft. deep.

are to a soft for the

Value \$100.0

No.4, a shaft, the center of which brs. from Cor. No.1 N.3°30° W., 410 ft., 4×6 ft. 8 ft. deep.

Value \$80.0

No.5, a shaft, on the center line, 25 ft. from the center of line 1-2, 4 x 6 ft. 8 ft. deep (Caved)

Value \$80.0

No.6, a shaft, the center of which brs. from Cor. No.1 N.37° W., 350 ft. 4 x 6 ft. 4 ft. deep.

Value \$40.0

No.7, a shaft, the center of which brs from Cor. No.2 N. 9°30° E., 130. ft. 4 x 6 ft. 10 ft. deep.

Value \$100.0

MANSION HOUSE # 2 lode.

No.1 the discovery shaft, on the center line 340 ft. from the center of line 3-4, 4 x 6 ft. 10 ft. deep.

Value \$100.0

Feet.

MINERAL SURVEY No. 3895

MANSION HOUSE NO. 2 lode.

with md of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence N. 87° 55' E. Va.13° 30' E.

1500.0 To Cor. No.3, identical with Loc. Mon. and on line 2-3 Mansion

House #.1 lode of this Sur.

An iron pipe 1 in. diam. with brass cap on top, 18 ins. above ground, set 18 ins. in the ground, stamped 5 M H No.2-3895 with md. of stone 3 1/2 ft. base by 3 ft. high alongside.

No bearings are available.

Thence S. 1° 49' E. Va. 13° 30' E.

300.0 To E. end center.

A pine post 4 ins. sq by 4 ft. high, set firmly in the ground and surrounded with md of stone 3 1/2 ft. base by 3 ft. high scribed E. Cr. M H No.2.

To Cor. No.4, identical with Loc. Mon. and Cor. No.2 Mansion House
this survey,
#1 lode and Cor. Nos 2-3 Sur. No.3034 Buena Vista and Cactus Park
lodes respectively, heretofore described.

Thence S. 87° 55' W. Va. 13° 30' E.

390.0 Gulch brs southeasterly.

440.0 Gulch brs. northeasterly.

480.0 Gulch brs. southeasterly.

1500.0 To Cor. No.1, the place of beginning.

LODE LINES.

As near as can be determined from the present developments, the veins of the several locations embraced in this claim, extend as follows from their respective discovery points:-

Mansion House # 1 lode, 178 ft.S.1°49'E., and 1322 ft. N.1°49' W.

Mansion House # 2 lode, 340 ft.N.87°55'E., and 1160 ft. S.87°55'W.

AREA.

Total area Mansion House #1 lode 20.661

Total area Mansion House #2 lode 20.661

The survey of each lode of this location is identical with

MINERAL SURVEY NO. 3895

EXPENDITURE OF FIVE HUNDRED DOLLARS.

MANSION HOUSE NO. 2 lode.

No.2 A shaft, the center of which brs. from Cor. No.4 N. 57° W. 350 ft. 4 x 6 ft. 20 ft. deep.

Value \$200.0

No.3 A shaft, the center of which brs. from Cor. No.3 S. 43° W. 120 ft. 4 x 6 ft. 10 ft. deep.

Values 100.0

No.4 A cut, the mouth of which brs. from Cor. No.3 S.79° 30° W. 540 ft. 4 1/2 ft. wide 10 ft. face, running N. 25° W.,30 ft. to face. From face is a turnel 4 x 6 ft. running N. 25° W. 50 ft. to face.

Value Cut and tunnel \$700.0

No.5 A cut, the mouth of which brs. from Cor. No.1 N. 81°45°E.

350 ft. 4 1/2 ft. wide, 10 ft. face, running S. 10° E.15 ft. to face.

Value \$ 100.0

OTHER IMPROVEMENTS.

A cut, the mouth of which brs. from Cor. No.1 Mansion House #2 lode, N. 18° E., 310 ft. 4 1/2 ft. wide, 10 ft. face, running N. 60° W. 15 ft. to face.

A.cut, the mouth of which brs. from Cor. No.4, S. 80° W., 250 ft., 5. ft. wide, 6 ft. face running S. 80° W. 12 ft. to face.

. INSTRUMENT.

This survey was made with a Gurley mountain transit, the courses were deflected from the true meridian, as determined by direct solar observations. The distances were measured with a 500 ft. steel tape.

REPORT.

The lode line of each location of this claim was run directly upon the ground, and the corners were established by running around the claims.

The corner to Secs 21-22-27 and 28 consists of an iron pipe with brass cap on top, Stamped T.12 S.,R.6 W.- S 21-S22- S 27 and S 28. The 1/4 Cor. bet. Secs.22-27 consists of an iron pipe, with brass cap on top Stamped 1/4 S-22- S 27.

Sur. No.3665 Silver Wing and Regent lodes. All corners consist of iron pipe 3 ins. diam. properly set and stamped with the number

of the corners and the survey. I find the course and distance of line 2-3 Silver Wing lode to be correct as approved.

Sur. No.3034 Buena Vista and Cactus Park lodes, corners consist of pine posts 4 ins. sq by 4 ft. high, properly set and scribed with the number of the corner and the survey.

Cor. Nos.2-3 Buena Vista and Cactus Park lodes was found to be in badly decayed condition and unsuitable for permanent corner, I therefore set an iron pipe in the exact position of the original corner properly stamped with the number of the corners and the surveys.

Line 2-3 Sur. No.3034 Cactus Park lode fails to furnish the course as approved (S.88°29'W) and same is properly given in these field notes.

Line 2-3 Sur. No. 3034 Buena Vista lode fails to furnish the course and distance as approved (S.88°29' W.,1500) and same is properly given in these field notes.

U.S.M.N. No.1 consists of an iron pipe 2 1/2 ins. diam. by 15 ft. high, surrounded with md of stone, stamped-U.S.M.H. No.1, Ajo Mining District., Pima County. Est. Dec.14, 1882 by L.D. Chillson, Re set Dec. 28, 1917 by Paul Fernald.

ADJOINING CLAIMS.

On the East by Sur. No.3665 Silver Wing lode.
On the South by Sur. No.3034 Buena Vista and Cactus Park lodes.

MINERAL SURVEY NO. 3895.

Direct solar observation taken Monday May 21, 1923.

Time 7:59 A.M. Solar time- Sun bisected. Lat. 32°22'- Lon.112°52'

Difference in time 3 h 30 m

Apparent declination 20° 01' 46.4"

1' 49 " V 20° 03' 35 " V

P= 90 - 20° 03' 35" = 69°56' 25"

L=32°22'

H=35°13

 $\sin 1/2 A - \sqrt{\sin (S-L) (S-H)}$

P=69°56' 25" 2) 137°31'25" S= 68°45'42"

S-L = 36°23'42" S-H + 33°32'42"

9.7733042

9.7423980

0.0733286

0.0877901 2) 19.6768209

9.8384104 = 43°34'30" = 1/2 A.

N.87°09'E - A.-Course of Sun

N.87°09'E

88°58' - Ang. to left from sun.
N. 1°49' W./- Course of line

Set up at Cor. No.1 Mansion House No.1 lode F.S. to Cor. No.4

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individual	ls employed by T.N. Stevens	
United States Deputy Mineral Surveyor,	, to assist in running, measuring, and marking	the lines, corners, and
boundaries described in the foregoing field	d notes of the survey of the mining claim of	
Philomena Babbitt, administr	ix of the estate of George Babbitt, o	leceased.
	and MANSION HOUSE 2 lodes.	
and showing the respective capacities in w		
	Samuel H. Meek	Chainman
		, Flagman.
	ATHS OF ASSISTANTS.	
We, I, Samuel H. Meek		
and	do solemnly swear that we assisted	
T.N. Stevens United St	tates Deputy Mineral Surveyor, in marking the c	corners and surveying
the boundaries of the mining claim ofP	hilomena Babbitt, administrix of the	estate of
George babbitt,	deceased.	
known as the ANSION HOUSE # 1 and	MANSION HOUSE # 2 lodes	
represented in the foregoing field notes as l	having been surveyed by said-deputy mineral su	rveyor and under his
direction; and that said survey has been i	in all respects, to the best of our knowledge and	belief, faithfully and
	undary monuments established according to law	
furnished by the United States Surveyor-G		
	Smel H Ment	, Chainman.
		, Axman.
	***************************************	, Flagman.
Subscribed and s	sworn to by the above-named persons before me tl	his 22 nd
day of	May 7,1073	
	I token W.VI	Mayes
My (our merse	in notas	& sublin
1918915718-03 Morch	14-1927 Notage	
Church III	' ' 1 -	

FINAL OATH OF U.S. MINERAL SURVEYOR.

i, T.N. Stevens	, U. S. Mineral Surveyo
do solemnly swear that, in pursuance o	of instructions received from the United State
Surveyor General for Arizon	<u>na</u> , date
May 5, 1923	, I have, in strict conformity to the laws of th
United States, the official regulations ar	nd instructions thereunder, and the instruction
of said Surveyor General, faithfully and	d correctly executed the survey of the Minin
Claim of Philomena Babbitt, administ	ratix of the estate of George Babbitt,
deceased.	, known as th
Mansion House 1 and Mansion H	louse #2 lodes
situate in Ajo	Mining District
Pima	County, Arizona , in Section
	Range No. 6 W.
and designated as Survey No. 3	895 as represented
	ately show the boundaries of said mining clain
as distinctly marked by monuments on the	he ground, and described in the attached copy
of the location certificate, which was rec	eived by me from the Surveyor General with
said instructions, and that all the corners	of said survey have been established and per
petuated in strict accordance with the l	aw, official regulations and instructions there
under; and I do further solemnly swear	that the foregoing are the true and original
field notes of said survey and my repor	rt therein, and that the labor expended and
improvements made upon said mining cla	aim by claimant or his her grantors
are as therein fully stated, and that the	character, extent, location, and itemized value
thereof are specified therein with particu	larity and full detail, and that no portion of
said labor or improvements so credited to	this claim has been included in the estimate
of avnonditures amon and the 1.	can has been included in the estimate
	CIIN TO RESERVE
	U. S. Mineral Surveyor.
Subscribed and sworn to by the said	TM Stevens
U. S. Mineral Surveyor, before me	
notary Public for Fir	
day of June 192	3
My Commission Expires June 4, 1994	Salel M Landy
	Water Pull

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoenix, Ari	zona.		
		June 2	7,	1923.
I, U. S. Surveyor General for December 1	latrict of Ar	izona		
do hereby certify that the foregoing tran				
of the Survey of the mining claim of				
Philomena Babbitt, administrati				
, known as the MAI	ISION HOUSE #	1 and MAN	STON H	eceased
lodes , sit				
Mining District,				
Arizona , in S				
Range No. 6 W. ha				
	o a patent, serve for natural objects red dollars' worth great claims by claima shafts, 2 cut	or permanent of labor has nt or her and 1 to	y the pr monum been ex granto	emises, ents as pended rs, and total
and that no portion of said labor or impro expenditures upon any other claim. I further certify that the plat thereof,	ovements has been filed in the U.S.	n included in the stand Office at	the estin	nate of
Arizona, is correct and in c	onformity with th	e foregoing Fi	eld Note	es.
	Frank P	. Trott		
United States Surv	eyor General for	Arizona	•	

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR

OFFICE OF U. S. SURVEYOR GENERAL

			Phoenix	c, Ariz	ona.	
		_		lune	27	, 1923
I, U. S. Surveyo	or General for	Distric	t of Arizo	na		
do hereby certify tha						
Mining Claim of						
Philomena Babb	itt, adminis	tratrix of	the estate	of Ge	orge Ba De	bbitt.
situate in						
Pir						
in Section	, Tor	wnship No	12.5.	., Range	No	6 w.
, (designated as Surv	vey No		3895		
executed by	T	. Stevens			, U. S	. Mineral
Surveyor,	May 20 -	22	, 1923,	under m	y instructio	ns dated
May 5		, 1923, have	been critically	examined	and the	1ecessarv
corrections and explana	ations made, and the	he said Field Note	es and Return,	and the su	rvey they	describe,
are hereby approved.	The certified copy	of the location co	ertificate filed b	y the app	olicant for s	survey is
on file in this office and	d a true copy of s	aid certified copy	of said location	n certifica	ite is inclu	ded and
nade a part of the tran	script of the field	notes.				
		Fru	nex D	6		

U. S. Surveyor General for ____Arizona____